

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9818	((scanner or scanning or reader or reading) with imag\$4 near3 correct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 17:16
L2	1788	L1 and ((host or computer or cpu or processor or (imag\$3 adj2 process\$5)) near5 correct\$5 near2 imag\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 17:16
L3	182	L2 and ((scanner or scanning or reader or reading) near5 (connect\$3 or communicat\$5) near5 (host or computer or cpu or processor or (imag\$3 adj2 process\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 17:16
L4	42	L3 and (358/505,474,527,516,518,519,461,521,530,448,524,523,498.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 17:16
L5	679	715/700.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 17:21
L6	0	4 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 17:19
L7	21150	"715".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 17:20
L8	0	4 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 17:20
L9	0	4 and "710".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 17:20
L10	23	1 and "710".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 17:20

L11	0	1 and 715/700.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 17:22
L12	9	1 and "708".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 17:26
L13	0	1 and 708/142.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 17:25
L14	4015	345/156,168.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 17:27
L15	0	4 and 14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 17:27
L16	5	1 and 14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 17:27

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	15	((scanner or scanning or reader or reading) adj5 (contain\$5 or compris\$5 or consist\$5 or having or has) adj4 (imag\$3 adj2 process\$5 adj2 (section or unit)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:01
L2	2	1 and ((input\$5 or receiv\$5 or transmi\$6) near5 (condition or setting))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:02
L3	99	((scanner or scanning or reader or reading) same ((contain\$5 or compris\$5 or consist\$5 or having or has) adj4 (imag\$3 adj2 process\$5 adj2 (section or unit))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:17
L4	13	3 and ((input\$5 or receiv\$5 or transmi\$6) near5 (condition or setting))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:07
L5	9818	((scanner or scanning or reader or reading) with imag\$4 near3 correct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:18
L6	1788	5 and ((host or computer or cpu or processor or (imag\$3 adj2 process\$5)) near5 correct\$5 near2 imag\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:18
L7	182	6 and ((scanner or scanning or reader or reading) near5 (connect\$3 or communicat\$5) near5 (host or computer or cpu or processor or (imag\$3 adj2 process\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:20
L8	42	7 and (358/505,474,527,516,518, 519,461,521,530,448,524,523,498. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:39
L9	0	"6327056".pn. and (setting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:40
L10	0	"6327056".pn. and (stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:40

L11	0	"6327056".pn. and (memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:40
S3	0	(imag\$3 near2 process\$5 near2 unit) same (manipulating near2 unit) same (condition near2 setting near2 section)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:05
S4	28	(imag\$3 near2 process\$5 near2 unit) and (manipulating near2 unit) and (condition near2 setting near2 section)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:40
S5	22	S4 and (setting with stor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:08
S6	0	S4 and (setting with input\$5 with user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:08
S7	25	S4 and (setting with input\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:13
S8	23	S7 and (plural\$4 near3 imag\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:13
S9	10	S7 and (plural\$4 near3 imag\$3 with condition)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:17
S10	3	S7 and (plural\$4 near3 imag\$3 with setting with process\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:17
S11	0	"6600548".pn. and (stor\$3 near4 setting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:41
S12	1	"6600548".pn. and (stor\$3 near7 setting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:41

S13	1	"6600548".pn. and ((memory or stor\$5) near7 setting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:41
S14	1	"6600548".pn. and ((memory or stor\$5) near7 (setting or intensity or condition))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:47
S16	530	(select\$5 with (process\$5) with mode) and (scanner with connect\$5 with (computer or processor or processing or cpu or (imag\$3 adj2 proces\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:13
S17	315	S16 and (scanner with (imag\$3 near3 process\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:53
S18	8	S17 and (((first near2 mode) with scanner) and ((second near2 mode) with (computer or process\$5 or cpu or (imag\$3 near3 process\$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:53
S19	2215	(select\$5 with (process\$5) with mode) and (((first or second) near2 mode) near5 ((scanner) or (computer or processor or processing or cpu or (imag\$3 adj2 proces\$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:59
S20	66	S19 and (scanner with connect\$5 with (computer or processor or processing or cpu or (imag\$3 adj2 proces\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:14
S21	40	S20 not canon.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:09
S22	88	(select\$5 with (process\$5) with mode) same (select\$5 with scanner with (computer or (imag\$3 adj2 proces\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:30
S23	34	S22 and (scanner with connect\$5 with (computer or processor or processing or cpu or (imag\$3 adj2 proces\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:25
S24	7	S23 and (scanner with correct\$5 with imag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:26

S25	1029	(select\$5 with (process\$5)) same (select\$5 with scanner with (computer or (imag\$3 adj2 proces\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:39
S26	24	(select\$5 with imag\$5 with (process\$5)) same (select\$5 near2 scanner) same (select\$5 near2 (computer or (imag\$3 adj2 proces\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:34
S27	6	S26 and (select\$5 near3 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:35
S28	0	(select\$5 with where with imag\$5 with (process\$5)) same (select\$5 with scanner with (computer or (imag\$3 adj2 proces\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:39
S29	0	(select\$5 with where with imag\$5 with (process\$5)) and (select\$5 with scanner with (computer or (imag\$3 adj2 proces\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:39
S30	0	(select\$5 with (which or where) with imag\$5 with (process\$5)) and (select\$5 with scanner with (computer or (imag\$3 adj2 proces\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:40
S31	0	(select\$5 with (which or where) with imag\$5 with (process\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:40
S32	4746	(scanner near5 (imag\$5 near2 process\$5)) and ((computer or cpu or processor) near5 (imag\$5 near2 process\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:56
S33	116	S32 and ((select\$5 or choos\$5) near3 (scanner)) and ((select\$5 or choos\$5) near3 (computer or cpu or processor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:43
S34	48	S32 and ((select\$5 or choos\$5) near3 (scanner) with process\$5) and ((select\$5 or choos\$5) near3 (computer or cpu or processor) with process\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:56
S35	355	(scanner near5 (perform\$5) near6 (imag\$5 near2 process\$5)) and ((computer or cpu or processor) near5 (imag\$5 near2 process\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:56

S36	11	S35 and ((select\$5 or choos\$5) near3 (scanner) with process\$5) and ((select\$5 or choos\$5) near3 (computer or cpu or processor) with process\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:59
S37	33	S35 and ((select\$5 or choos\$5) near3 (scanner)) and ((select\$5 or choos\$5) near3 (computer or cpu or (imag\$5 near2 process\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:01
S38	18	S37 and (imag\$5 near5 transmi\$6 near6 (computer or processor or cpu or (imag\$5 adj2 process\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:08
S39	2	"5123063".pn. and (scanner near5 process\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:09
S40	1	"5123063".pn. and (scanner near5 perform\$5 near3 process\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:13
S41	1	"5123063".pn. and (perform\$5 near3 process\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:13
S42	2	"5123063".pn. and (imag\$5 near3 process\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:24
S43	0	"6757081".pn. and (transmi\$6 with setting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:24
S44	1	"6757081".pn. and (receiv\$56 with setting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:25
S45	1	"6757081".pn. and ((processor or cpu or computer) with (scanner) with setting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:52
S46	153	(scanner with (contain\$5 or compris\$5 or consist\$5 or having or has) with (imag\$3 adj2 process\$5 adj2 (section or unit)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:56

S47	37	(scanner adj5 (contain\$5 or compris\$5 or consist\$5 or having or has) with (imag\$3 adj2 process\$5 adj2 (section or unit)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:57
S48	6	(scanner adj5 (contain\$5 or compris\$5 or consist\$5 or having or has) adj4 (imag\$3 adj2 process\$5 adj2 (section or unit)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:53
S49	0	S48 and (setting with (memory or stor\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:02
S50	2	S48 and (setting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:00
S51	32	S46 and (setting with (memory or stor\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:06
S52	2	"6542260".pn. and (host)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:07
S53	2	"6542260".pn. and (host with proces\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:07